


# Maintenance and Service Aids

A total solution for maintenance, repair and overhaul



**ELECTROLUBE**  
THE SOLUTIONS PEOPLE

# Maintenance and Service Aids



- Syringes, pump sprays, tubes, aerosols, wipes, pens
- Airduster and freezer sprays
- Cleaners and wipes
- Greases and oils
- Encapsulation resins and conformal coatings
- Maintenance, test, repair and small scale production
- Paints and galvanising sprays

**Electrolube manufactures a wide range of maintenance products to complement the major product groups. Whether used by OEMs or subcontractors, these products are supplied in convenient packaging, covering a wide range of applications and requirements.**

Specific products in this range include:

- Airdusters – For the removal of dust and dirt from hard to reach places, for example, in photographic and electrical equipment. They can also be used to blast off water or solvents for rapid drying.
- Freezer Sprays – For the identification of faulty components by rapidly cooling components to  $-55^{\circ}\text{C}$ . Freezers are available in standard or minimal charging forms, enabling safe use on static sensitive components.
- General Maintenance – Including hard surface cleaners, cyanoacrylate adhesives, tamper evident seals and contact cleaner lubricants.
- Industrial Maintenance – Including high quality paints, galvanising sprays, polyurethane foam, lubricants and graffiti removers.

Electrolube can provide a total solution for mobile mechanics and service engineers through the wide range available. Products are supplied in a range of packaging dependent upon their application and end use. These include aerosols, pump sprays, syringes, tubes, pens, sachets and small tins.

# The Product Range

## Lubricants & Greases



### ACL – Adhesive Chain Lubricant

- Highly tenacious
- Excellent resistance to water and high temperatures
- Good mechanical stability
- Good penetration at low temperatures



### DAS – Silicone Mould Release

- Colourless silicone lubricant
- Ideal for all mould release applications
- Very good thermal stability
- Reduces surface friction



### AGC – Copper Anti-Seize Fluid

- Provides anti-seize and anti-corrosion protection
- Ideal for use on threaded components
- Excellent water resistance
- Effective at high temperatures



### DDF – Leak Detector

- Allows immediate detection of air and gas leaks from all types of pipework
- Non-flammable and safe to use
- Water-based
- Contains anti-corrosion additives



### CCS – Contact Cleaning Strips

- Specialist cleaning cards impregnated with contact lubricant
- Increases reliability of contacts by reducing contact resistance
- Reduces mechanical wear and contact erosion
- Increases the life of contacts



### DGT – Penetrating Fluid

- Penetrates and lubricates mechanical parts
- Produces a highly water resistant film, providing long term corrosion protection
- Loosens seized assemblies and prevents friction noise
- Ideal for breakdown and maintenance services



### CMO – Clear Mechanical Oil

- Clear lubricant with excellent mechanical properties
- Outstanding performance in extreme conditions
- Highly resistant to water
- Contains Molybdenum Disulphide



### DFL – Dry Film Lubricant

- High purity PTFE based lubricant
- Water repellent with a low co-efficient of friction
- May be used where silicones or mineral oils are unsuitable
- Can be used as a cold mould release



#### EPE – Permagard

- De-watering and penetrating fluid
- Excellent lubricating properties
- Dries out damp electrical connections
- Protects against rust and corrosion



#### HTG – High Temperature Grease

- High quality mechanical grease for lubrication and protection
- Wide temperature range
- Fortified with anti-wear and anti-oxidant additives
- Water resistant



#### FFL – Fuser Film Lubricant

- Provides high quality mechanical lubrication
- Designed for use on fuser films in toner cartridges
- Excellent thermal resistance
- Excellent plastics compatibility



#### HVG – High Voltage Grease

- Developed for use on high voltage/high current contacts
- Dramatically reduces wear and arcing
- Low oil bleed even at elevated temperatures
- Good low temperature performance



#### FSL – Food Safe Lubricant

- USDA H-1 food contact approval
- Incidental or indirect food contact environments
- Resistant to detergents
- Excellent materials compatibility



#### MPG – Multi-purpose Grease

- General purpose grease
- Wide temperature range
- Safe on most thermoplastics
- Good lubricating and thermal properties



#### HCG – Highly Conductive Grease

- Very low electrical resistivity
- High thermal conductivity
- Excellent performance at high temperatures
- Excellent adhesion characteristics



#### OSL – Silicone Oil

- High quality, multi purpose mechanical lubricant
- Silicone spray with excellent water repellency
- Long term lubrication for line printers, keyboards, platens, bearings, etc.
- May also be used as a mould release agent



#### **SCO – Silicone Grease Compound**

- High quality, multi-purpose electrical insulating compound
- Excellent water and moisture repellency
- Chemically inert, odourless and non-toxic
- Excellent resistance to tracking and corona discharge



#### **ULL – Ultralube**

- High performance dry lubricant
- Ideal for regular maintenance jobs
- Extremely long life with excellent wear characteristics
- Wide operating temperature range



#### **SPG – Special Plastics Grease**

- Excellent plastics compatibility
- Offers outstanding low temperature performance
- Efficient mechanical lubricant for plastic/plastic or plastic/metal friction
- Ideal to reduce wear in timers, plastic cogs and gears etc.



## Airduster Sprays



### EAD/EADI – Airduster

- Inert, pure compressed gas for dust removal
- Available in standard (EAD) and invertible versions (EADI)
- Ideal for removing particulates from inaccessible areas on delicate equipment
- Non-flammable



### EADP/EADPI – Airduster Plus

- Ultra high power, inert, pure compressed gas airduster
- Available in standard (EADP) and invertible versions (EADPI)
- High pressure blast for removing stubborn particulates
- Non-flammable



### EADH – Airduster with low GWP

- Inert, pure compressed gas for dust removal
- Environmentally friendly fluorinated propellant with low GWP
- Safe for use on electrical and electronic equipment
- Non-flammable



### GDP – High Powered Airduster

- High powered, inert pure compressed gas airduster
- Powerful initial blast and minimal drop off
- Use to remove dust and dirt from delicate and inaccessible areas
- Non-flammable

---

## Freezer Sprays

---



### **FRE – Freezer**

- Standard freezer for non-sensitive, electronic fault finding
- Can aid mechanical shrink fitting
- Non-flammable, cools down to -55°C
- Prevents damage to components from overheating during soldering



### **MCF – Minimal Charging Freezer**

- Freezer spray for static sensitive devices
- Unique additive minimises static build up whilst still allowing frost formation
- Fast fault finding in electronics
- Non-flammable, cools down to -55°C



### **FREH – Freezer with low GWP**

- Environmentally friendly fluorinated refrigerant with low GWP
- Freezer spray for electronic fault finding
- Non-flammable, cools down to -55°C
- Prevents component damage from overheating during soldering.

## General Purpose Cleaners



### ARW – Aerowipes

- Efficient removal of uncured and semi-cured adhesives and sealants
- Designed for the aerospace and automotive industries
- Available in liquid form and impregnated lint-free wipes
- Non-flammable



### EWI – IPA Electrowipes

- Impregnated with an isopropanol and de-ionised water blend
- High quality cloths
- Packaged in individual sachets
- Excellent degreaser, also removes flux residues and metal oxide



### CTC – Carterclene

- Heavy duty, anti-static foaming cleaner
- Removes ingrained dirt and grime
- Provides long lasting anti-static properties
- Apply and wipe with Anti-Static Cloths (AAC)



### GLC – Glass Cleaner

- Low-foaming glass cleaner
- Water-based
- Removes grease, oil and light organic contaminants
- Non-flammable



### ECW – Engineering Cleaning Wipes

- Non-woven, cellulose/polyester blend
- High quality, general purpose wipes
- Extremely absorbent
- Exceptional tear and wet strength



### IPA – Electronic Cleaning Solvent

- Efficient general purpose electronic cleaning solvent
- Removes contamination from PCBs
- Excellent plastics compatibility
- Economic in use





#### **ROC – Reflow Oven Cleaner**

- Specially formulated micro-emulsion for cleaning reflow ovens
- Removes all types of flux residues
- Contains corrosion inhibitors
- Non-flammable



#### **ULS – Ultrasolve**

- Excellent degreasing properties
- Also removes flux residues from PCBs
- Can be used to remove acrylic conformal coatings
- Harmless to most plastics, rubbers and elastomers



#### **SRI – Saferinse**

- Aqueous, de-ionised solvent blend
- For rinsing electronic assemblies after cleaning with Safewash
- Recommended as a final rinse to ensure removal of all impurities
- Non-flammable



#### **WWC – Industrial Cleaning Concentrate**

- General purpose industrial cleaner
- Non corrosive to metals
- Easy to use: convenient application methods
- Non-flammable



#### **SWA – Safewash Aerosol**

- Water-based cleaning solvent
- Removes all types of flux residues
- Aerosol form with brush attachment to aid cleaning
- Non-flammable

## Encapsulation Resins and Conformal Coatings



### ER2188 – Epoxy Resin

- General purpose epoxy resin
- UL94 V-0 approved
- Excellent adhesion to a wide variety of substrates
- Good chemical and water resistance



### TFA – Toluene Free Acrylic

- Reduced hazard solvent-based acrylic coating, toluene-free
- Excellent clarity, ideal for LED applications
- IPC-CC-830 and UL746 approved
- Excellent protection in humid environments



### GLR – Glob Top Resin

- One-part epoxy resin
- Thixotropic for localised protection of electrical components
- Fast cure at elevated temperatures
- Excellent electrical properties



### CCRG – Conformal Coating Removal Gel

- Thixotropic gel formulated to remove Electrolube's solvent resistant coatings
- Allows localised removal of components
- DCA, DCB, DCR, DCRT, DCE, WBP/S PUCAF and PUC can be removed
- Does not contain methylene chloride



### UR5604 – Polyurethane Resin

- General purpose polyurethane resin
- UL94 V-0 approved
- Good flexibility even at low temperatures
- Low mixed system viscosity



### RRS – Resin Remover Solvent

- Designed to swell and soften cured coatings and resins
- May be used for reworking electronic devices
- Also suitable for use on production equipment, jigs, tools, etc.
- Does not contain methylene chloride



### SC2001 - Silicone Resin

- General purpose silicone resin
- Excellent high temperature performance
- Simple 1:1 mix ratio
- Excellent chemical and water resistance

## Anti-Static Products



### AAC – Anti-Static Wipes

- 100% Pure cotton wipes
- Lint-free and non-abrasive
- Suitable for use with Electrolube anti-static products
- Ideal for use on delicate equipment



### ASC – Anti-Static Glass Cleaner

- Anti-static cleaner for glass, anti-glare filters and monitors
- Reduces dust build up
- Safe to use on most coated glass
- Non-flammable



### AFC – Anti-Static Foam Cleaner

- Protects against static build-up
- Safe on all plastics
- Non-flammable
- Apply and wipe with Anti-Static Cloths (AAC)



### CTC – Carterclene

- Heavy duty, anti-static foaming cleaner
- Removes ingrained dirt and grime
- Provides long lasting anti-static properties
- Apply and wipe with Anti-Static Cloths (AAC)



### ASA – Anti-Static Spray

- Powerful non-foaming cleaner
- Prevents static build-up
- Non-flammable
- Suitable for a wide variety of surfaces



### MCF – Minimal Charging Freezer

- Freezer spray for static sensitive devices
- Unique additive minimises static build up whilst still allowing frost formation
- Fast fault finding in electronics
- Non-flammable, cools down to -55°C

## Prototype and Repair



### ES501 – Under Fill Resin

- Designed to improve adhesive strength of devices during vibration, etc.
- Will not degrade thermal cycle performance
- High flexibility provides enhanced repairability
- Ideal for high volume assembly processes



### DB1003/DB2003 – Desolder Braid

- Fast, effective wicking when removing components
- Utilises no-clean flux
- Economic 3m length
- Available in two widths – 1.5mm (DB1003) and 2.00mm (DB2003)



### ES807 – Surface Mount Adhesive

- Designed for bonding of surface mount devices prior to wave soldering
- Suitable for applications requiring high dispense speeds
- High dot profile and high wet strength
- Good electrical characteristics



### ESLE10 – Silver loaded epoxy

- One part silver loaded epoxy resin used for conductive bonding applications
- Excellent adhesion to a wide variety of substrates
- Exhibits excellent electrical and thermal conductivity properties
- Can be used for conductive bonding, solder repair, static discharge, etc.



### ES808 – Surface Mount Adhesive

- For bonding of surface mounted devices prior to wave soldering
- Ideal for pin transfer and stencil print
- Ideal for medium to high dispense speeds
- Low viscosity, good electrical characteristics, and good humidity resistance



### FCC – Ferric Chloride

- Ferric Chloride hexahydrate crystals
- Used for etching copper clad boards to produce PCBs, signs, pictures etc
- Does not absorb moisture quickly
- Economic in use



### SMA – Surface Mount Adhesive

- One-part adhesive with excellent mechanical strength
- Resistant to cleaning solvents
- Long term stability after cure cycle
- Syringe can be used by hand or dispensing equipment



### PDN – Photoresist Developer

- Aqueous alkaline developer
- Used in conjunction with PRP and other positive photo resists
- Convenient solution form
- Economic in use



### SMF/SMFL – Surface Mount Rework Flux

- Quick drying, mildly activated (RMA type) no-clean flux
- For use with hot air, hot gas or conventional soldering techniques
- Zero halide content so no cleaning is required
- Supplied in pen (SMF) and aerosol (SMFL) form



### PRP – Positive Photoresist

- Fast drying positive photoresist
- Used for reproduction of circuits, images, PCBs, signs and diagrams
- Fine resolution down to 0.1mm
- Ideal for prototyping

## Paints and Paint Removers



### GRG – Graffiti Remover Gel

- High viscosity gelled product – clings to vertical surfaces
- Low odour, low volatility – longer contact time
- Removes graffiti from porous and non-porous surfaces e.g. wood, brick, vinyl
- Harmless to most plastics and metals



### PNM/PAM – High Temperature Paints

- Heat resistant paints suitable for objects exposed to temperatures up to 650°C
- Excellent coverage and flow characteristics
- Good adhesion and anti-corrosion properties
- Available in matt black (PNM) and aluminium grey (PAM)



### GRS – Graffiti Remover for Sensitive Surfaces

- Removes graffiti from porous and semi-porous surfaces, e.g. vinyl and laminates
- Pleasant light odour
- Contains non-chlorinated solvents
- Compatible with most plastics and metals



### PWB/PVB/PBB/PJB/PRB/PNB – High Gloss Paints

- Quick drying, high quality, universal spray paints
- Suitable for use in manufacturing, repair, workshop and home
- Excellent coverage and flow
- Colours: White, Blue, Yellow, Black, Red, Green



### NSCP – Nickel Screening Compound PLUS

- Efficient EMI/RFI screening coating
- Enhanced adhesion to wide variety of substrates
- Fast drying at room temperature
- Also available in bulk



### SCP – Silver Conductive Paint

- Highly conductive silver loaded paint
- Ideal for track repair and pinpoint shielding
- Fast drying
- Excellent adhesion to most substrates



### PGB/PGM – Galvanising Spray

- Cold galvanisation paint for metal surfaces
- Protects against oxidation and corrosion
- Very fast drying with excellent adhesion properties
- Available in gloss (PGB) and matt finishes (PGM)

## General Maintenance



### BLV/R – Bloc'lube

- Tamper evident seal
- Green (BLV) or red (BLR) colour available
- Supplied with integral brush for easy application
- BLR available in a syringe



### HDC – Cutting Fluid

- Industrial grade metal cutting oil
- Powerful lubricant suitable for ferrous metals, stainless and heat resistant steels
- Allows high speed punching
- Extends tool life



### CPL – Clear Protective Lacquer

- General purpose coating for PCBs giving high quality glossy finish
- Ideal for protecting ferrous metals from corrosion
- Good resistance to humidity
- Available in pen form for easy and direct application



### ICEE – De-icer

- Provides rapid ice and frost removal
- Water soluble blend of alcohols and glycols
- Effective at low temperatures (-11°C)
- High powered spray designed to cover large areas



### CYL – Cyanolube

- Fast curing cyanoacrylate adhesive
- High bond strength
- Bonds most common substrates
- Adheres well to most plastics



### LRM – Label Remover

- Paper label remover
- Aerosol with brush enables mechanical scrubbing action to aid removal
- Handy pen version available
- Harmless to most plastics



### DEI – Demineralised Water

- Provides a final rinse to circuit boards and assemblies
- For use after a tap water rinse
- Ideal for use with the Safewash range of cleaners
- Suitable for use in trigger spray bottle (TSB000) or air powered bottle (APB000)



### MPU – Polyurethane Foam

- One-part ready to use self-expanding PU foam
- Cures quickly to form a tough, waterproof layer
- Excellent for filling and sealing spaces around cables, window frames, etc.
- Provides good thermal and acoustic insulation





#### **PBS – Antispatter Spray**

- Prevents adhesion of weld spatter
- Suitable for protecting nozzles, weld units and tools
- Non-flammable and silicone free
- Very fast drying



#### **SGL – Silica Gel**

- Ideal for protecting assemblies from moisture ingress
- Non-indicating
- Inert to most non-aqueous chemicals
- Available in 10g, 50g and 100g sachets



#### **RRR – Rubber Roller Restorer**

- Restores textures to rubber rollers in office equipment
- Prolongs the lifetime of rubber rollers, preventing costly replacement
- Supplied in pump spray
- Leaves no residue



#### **TSB – Trigger Spray Bottle**

- Re-usable bottle for spraying various solutions
- Volumetric graduation marks on the side of bottle
- Holds up to 600ml
- Controlled usage with adjustable spray

# ELECTROLUBE

THE SOLUTIONS PEOPLE

## China Headquarters / Manufacturing

Building No2, Mauhwa Industrial Park,  
Caida 3rd Street, Caiyuan Industrial Zone,  
Nancai Township, Shunyi District  
Beijing, 101300  
Peoples Republic of China

**T** +86 (10) 89475123  
**F** +86 (10) 89475123  
**E** [info@electrolube.co.uk](mailto:info@electrolube.co.uk)

[www.electrolube.com](http://www.electrolube.com)

## UK Headquarters / Manufacturing

Ashby Park  
Coalfield Way  
Ashby de la Zouch  
Leicestershire  
LE65 1JR  
United Kingdom

**T** +44 (0)1530 419600  
**F** +44 (0)1530 416640  
**E** [info@electrolube.co.uk](mailto:info@electrolube.co.uk)

[www.electrolube.com](http://www.electrolube.com)

A division of H K Wentworth Limited  
Registered office as above  
Registered in England No. 368850

All information is given in good faith but without warranty. Properties are given as a guide only and should not be taken as a specification.

ELCAT\_MAINAID\_GB/0



Certificate No. 32082